

## Catalog Number

48509-10-1C

**Tubing, ETFE, 0.010 inch (0.25 mm) ID, 1/32nd inch (0.79 mm) OD,**  
low pressure, Your continuous length tubing. ARE-Applied Research  
brand.



### Additional Info

You determine the length of this ETFE (*Tefzel*) tubing that is extruded from virgin ETFE without any manufacturing additives. This tubing is used widely in all low-pressure, laboratory applications including before and after an HPLC Pump such as with Mobile Phase Delivery and Solvent Waste Systems. ETFE tubing is chemically inert except for some halogenated compounds and has low permeability compared with PTFE tubing.

- Internal and Outer Dimensional Tolerance: +/- 0.05 mm
- Color: Natural, Translucent
- Wall Thickness: 0.27 mm
- Pressure rating: 2150 psi (150 bar)
- Lengths of 15 m or longer supplied on a convenient spool.

Other lengths available:

### MicroSolv Technology Corporation

9158 Industrial Blvd. NE, Leland, NC 28451

tel. (732) 380-8900, fax (910) 769-9435

Email: [customers@mtc-usa.com](mailto:customers@mtc-usa.com)

Website: [www.mtc-usa.com](http://www.mtc-usa.com)

Printed On 2024/05/20