


Valsartan and Hydrochlorothiazide Analyzed with HPLC - AppNote

Improved Gradient Method with Faster Equilibration

The USP Assay Method for Valsartan in combination with Hydrochlorothiazide features a 27 minute gradient with a 13 minute re-equilibration for a total run time of 40 minutes. In this method, the run time was a quarter of the USP method, and the Column equilibrates much faster when gradients are used. This demonstrates a substantial time and solvent savings for the analytical laboratory.

Five Chromatograms are overlaid below which shows the Robustness and Precision of this Method.



Peaks:

1. Hydrochlorothiazide (HCT)

2. Valsartan

Method Conditions

Column: Cogent Bidentate C18™, 4µm, 100Å

Catalog No.: 40018-75P Dimensions: 4.6 x 75mm

Mobile Phase:

A: DI Water / 0.1% Trifluoroacetic Acid (TFA)
B: Acetonitrile / 0.1% Trifluoroacetic Acid (TFA)

Gradient:

| Time (minutes) | %B | |
|----------------|----|--|
| 0 | 10 | |
| 8 | 90 | |
| 9 | 10 | |

Post Time: 1 minute **Injection vol.**: 10µL

Flow rate: 1.0ml / minute Detection: UV @ 265nm Sample Preparation:

Stock Solution: A Diovan® HCT brand tablet containing 160mg Valsartan and 25 mg Hydrochlorothiazide was ground and added to a 50 mL volumetric flask. The flask was diluted to mark with 50:50 Solvent A / Solvent B mixture and sonicated. A portion was then filtered with a 0.45µm Nylon Syringe Filter AQ™ Brand (MICROSOLV Tech Corp.).

Working Solution: 100µL of the stock solution was diluted with 900µL of a 50:50 Solvent A / Solvent B mixture.

to: 1 minute

| Comparison of This Method and the USP Method | | | |
|--|---------------|--------------|--|
| | Bidentate C18 | Ordinary C18 | |
| Total Run Time | 10 Minutes | 40 Minutes | |
| Column Volume Equilibration | 1 Column | 10 Columns | |
| Solvent Usage per Run | 10ml | 40ml | |



Attachment

No 150 Valsartan and Hydrochlorothiazide Analyzed with HPLC pdf 0.5 Mb Download File

Printed from the Chrom Resource Center
Copyright 2025, All Rights Apply
MicroSolv Technology Corporation
9158 Industrial Blvd. NE, Leland, NC 28451

Tel: (732) 380-8900 Fax: (910) 769-9435 Email: customers@mtc-usa.com

Website: www.mtc-usa.com