
### **Product Sheet**



# Catalog Number

49210-40-10M

**Tubing, PTFE, 0.040 inch (1.0 mm) ID, 1/16th inch (1.6 mm) OD**, low pressure, 10 meter roll, ARE-Applied Research brand. 1 EA.



#### **Additional Info**

This PTFE (*Polytetrafluoroethylene*) tubing is extruded from virgin PTFE. No additives are added to the original PTFE material, except for particles for color coding.

This tubing is used widely in all low-pressure, laboratory applications including before and after an HPLC Pump such as with Mobile Phase Delivery and Solvent Waste Systems. Since PTFE tubing contains "micro-pores" in the tubing wall, which allows a quick air exchange, consideration for use with degassed and oxygen-sensitive solvents is needed.

Price \$38.53

Page 1 of 2 Printed On 2024/10/24

## **Product Sheet**



### **Additional Info**

• Internal and Outer Dimensional Tolerance: +/- 0.20mm

Color: Natural, TranslucentWall Thickness; 0.30 mm

Pressure rating: 365 psi (25.2 bar)

• Max Temperature: 260°C

### Other lengths available:

• 1 meter roll

- 3 meter roll
- 5 meter roll
- 25 meter roll
- Custom lengths

#### **MicroSolv**

9158 Industrial Blvd. NE, Leland, NC 28451 tel. (732) 380-8900, fax (910) 769-9435

Email: customers@mtc-usa.com Website: www.mtc-usa.com Price \$38.53

Page 2 of 2 Printed On 2024/10/24