

# Catalog Number

49225-3.7

**Tubing, PTFE, 0.14 inch (3.7 mm) ID, 0.19 (4.76 mm) inch OD, low pressure, 5 meter roll, ARE-Applied Research brand. 1 EA.**



## Additional Info

This thin-walled PTFE (*Polytetrafluoroethylene*) tubing is extruded from virgin PTFE. No additives are added to the original PTFE material.

This tubing is used widely in all low-pressure, laboratory applications including before and after an HPLC Pump such as with Mobile Phase Delivery and Solvent Waste Systems. Since PTFE tubing contains "micro-pores" in the tubing wall, which allows a quick air exchange, consideration for use with degassed and oxygen-sensitive solvents is needed.

**Price**  
**\$125.19**

## Additional Info

- Internal and Outer Dimensional Tolerance: +/- 0.20mm
- Color: Natural, Translucent
- Wall Thickness: 0.53 mm
- Pressure rating: 290 psi (20 bar)
- Max Temperature: 260°C

Other lengths available:

- [1 meter roll](#)
- [3 meter roll](#)
- [10 meter roll](#)
- [25 meter roll](#)
- [Custom lengths](#)

## MicroSolv

9158 Industrial Blvd. NE, Leland, NC 28451

tel. (732) 380-8900, fax (910) 769-9435

Email: [customers@mtc-usa.com](mailto:customers@mtc-usa.com)

Website: [www.mtc-usa.com](http://www.mtc-usa.com)

**Price**

**\$125.19**