


Catalog Number

49590-06-005

Tubing Connector Male Nuts, high pressure, 1/16-inch, Stainless Steel, 15 mm total length with a hex head and 10-32 screw threads. Ferrules sold separately. ARE-Applied Research brand. 5/PK.

**Pack of 5****Additional Info**

High-Pressure Tubing Connector Male Nuts for HPLC Systems

Our tubing connector male nuts are designed to connect stainless steel tubing in the high-pressure zones of HPLC systems. Made from 316L stainless steel, these fittings feature a standard hexagonal head for easy wrenching and a 15 mm overall length.

Key Features:

- **Thread Length:** Ideal for injectors like the Rheodyne™ brand, where space is

Price**\$41.36**

Additional Info

limited, allowing the nut to extend from the injector or other fittings but still have a compact design.

- **Durable Construction:** Crafted from 316L stainless steel for superior strength and corrosion resistance.
- **Secure Connections:** Designed to work with single cone stainless steel ferrules, ensuring a permanent, high-pressure connection.

Perfect for analytical chemists seeking reliable and efficient solutions for their HPLC systems.

Click [HERE](#) for ordering information for ferrules.

Click [HERE](#) for bulk pricing.

MicroSolv

9158 Industrial Blvd. NE, Leland, NC 28451

tel. (732) 380-8900, fax (910) 769-9435

Email: customers@mtc-usa.com

Website: www.mtc-usa.com

Price

\$41.36